



SOFTWARE PATCH RELEASE NOTES

Release date March 12, 2009 *Supersedes version #* 1.13.5108
Software version 1.13.5161 (*PC/MAC version #*)1.13.5108
Firmware version [S3/I3/S1:448,M1: 438] *Released on* 25 Nov, 2008
Library Version 3.15.1

Build Type	MD5 Checksum	File Size
MAC	3ed8231b0dc80aa88562d0795156be68	47.9MB
PC	eddda295a67d1542aaf482579e6b813e	36.5MB
Console	29c56a831e41391b93c46ca41473a294	24.3MB

Important Information

This patch release is to address the bugs below and provides an updated fixture library. The new fixtures can be found in the library marked "New".

Please report issues with this software to support@jandsvista.com

New Feature

Added soft key action to toggle visibility of Components: Groups

Bugs Fixed

ID	Summary
2437	Copy and paste events between steps also copies step name
2521	Modified T console driver to counteract erroneous PCI reads

Fixtures added in this release

Manufacturer

Model

American DJ

Concept 1
Concept 2
Concept Color

ArKaos

VJ v3.6.1 - HW Full
VJ v3.6.1 - HW Maxi
VJ v3.6.1 - HW Tiny
VJ v3.6.1 - Standard Full
VJ v3.6.1 - Standard Maxi
VJ v3.6.1 - Standard Tiny

Chromalech

Chromalech/Jarag-5 Par 20 25 channel
Chromalech/Jarag-5 Par 20 31 channel
Chromalech/Jarag-5 Par 20 6 channel
Chromalech/Jarag-5 Par 30 25 channel
Chromalech/Jarag-5 Par 30 31 channel
Chromalech/Jarag-5 Par 30 6 channel

Color Kinetics

ColorBlast 12 TR
ColorBlast Powercore
ColorGraze Powercore 2'
ColorGraze Powercore 3'
ColorGraze Powercore 4'
ColorReach Powercore 3 channel
ColorReach Powercore 6 channel
iColor Cove QLX 12
iColor Cove QLX 6
iW Blast 12 TR
iW Blast 12
iW Blast Powercore
iW Cast 14 Powercore
iW Cove Powercore
iW Profile g2
iW Profile

Eagle Fai

EA-8091
EA-8092 Mode 1

Elation

Design Wash 1400E 16 bit
Design Wash 1400E 8 bit
Opti Tri Par 1 channel
Opti Tri Par 2 channel
Opti Tri Par 3 channel
Opti Tri Par 4 channel
Opti Tri Par 6 channel
Opti Tri Par 7 channel

Geni

OBY 2000 Outline 16 bit
OBY 2000 Outline 8 bit
OBY 2000 Wash 16 bit
OBY 2000 Wash 8 bit

Irradiant

SRM-6072 16 bit
SRM-6072 8 bit

Jands Vista Software Patch Release 1.13.5161 Release Notes
March 12, 2009

Jands Pty Ltd, 40 Kent Rd, Mascot, NSW, 2020, Australia
Phone: +61 (2) 9582 0909 Fax: +61 (2) 9582 0999 Web: www.jandsvista.com

Page 2 of 10

Laserworld	CS-400G
Martin	TW1 80V Basic Mode TW1 80V Extended Mode
Morpheus	Faderbeam
PR Lighting	Orland Follow Planet Pro Par M Solo 250 16 bit Solo 250 8 bit Strobe Can XL 1200 Extended 16 XL 1200 Short 8 XL 1200 Standard 16 XL 1500 Extended 16 XL 1500 Short 8 XL 1500 Standard 16 XL 250 Extended XL 250 Short XL 250 Standard XL Framing 1200 Extended 16 XL Framing 1200 Short 8 XL Framing 1200 Standard 16 XL Wash 1200 Extended 16 XL Wash 1200 Short 8 XL Wash 1200 Standard 16 XS 250 Extended XS 250 Short XS 250 Standard XS 300 Extended XS 300 Short XS 300 Standard
PRG	Bad Boy
Rainbow	12 inch Pro2 Mode 0 reset off 12 inch Pro2 Mode 7 reset off 12 inch Pro2 Mode 7 reset on 15 inch Pro2 Mode 0 reset off 15 inch Pro2 Mode 7 reset off 15 inch Pro2 Mode 7 reset on 6 inch Pro2 Mode 0 reset off 6 inch Pro2 Mode 7 reset off 6 inch Pro2 Mode 7 reset on 8 inch Pro2 Mode 0 reset off 8 inch Pro2 Mode 7 reset off 8 inch Pro2 Mode 7 reset on 8-Lite Pro2 Mode 0 reset off 8-Lite Pro2 Mode 7 reset off 8-Lite Pro2 Mode 7 reset on
Selador	Lustr 11 X7 Lustr3.5-11 X7 Paletta3.5-11

Jands Vista Software Patch Release 1.13.5161 Release Notes
March 12, 2009

Jands Pty Ltd, 40 Kent Rd, Mascot, NSW, 2020, Australia
Phone: +61 (2) 9582 0909 Fax: +61 (2) 9582 0999 Web: www.jandsvista.com

Page 3 of 10

Showled

Chameleon Mode 10
Chameleon Mode 24
Classic Mode 10
Classic Mode 11
Classic Mode 12
Classic Mode 8
Classic Mode 9

Show Technology
Space Cannon
Strand

LED Honeycomb 36 TV Mode 1
Ath-Luxor
Pirouette Fresnel 16 bit MSpeed off
Pirouette Fresnel 16 bit MSpeed on
Pirouette Fresnel 8 bit MSpeed off
Pirouette Fresnel 8 bit MSpeed on
Pirouette PC 16 bit MSpeed off
Pirouette PC 16 bit MSpeed on
Pirouette PC 8 bit MSpeed off
Pirouette PC 8 bit MSpeed on

Swelite
Transtun

Mini Spot 250 Pro
TRMH 1200 CMY Spot 16 bit Enhanced
TRMH 1200 CMY Spot 16 bit
TRMH 250 Wash 16 bit
TRMH 250 Wash 8 bit
TRMH 250B Spot 16 bit Eh
TRMH 250B Spot 16 bit

VariLite

VL3500 Wash FX
VL500 80V 16 bit
VL500 80V 8 bit
VL500 80V Enhanced 16 bit

Varytec

Easymove XS Spot 13 channel

All new fixtures can be found in the "New" library of the Jands Vista application.

Fixtures repaired in this release

Manufacturer

Model

Acme

Dynamo 250s

American DJ

S-1500

Chauvet

ColorStrip
Q-Spot 150 16 bit P1
Q-Spot 150 16 bit P2
Q-Spot 150 8 bit P3
Q-Spot 150 8 bit
Q-Spot 16 bit P1
Q-Spot 16 bit P2
Q-Spot 8 bit P3
Q-Spot 8 bit

Jands Vista Software Patch Release 1.13.5161 Release Notes
March 12, 2009

Jands Pty Ltd, 40 Kent Rd, Mascot, NSW, 2020, Australia
Phone: +61 (2) 9582 0909 Fax: +61 (2) 9582 0999 Web: www.jandsvista.com

Page 4 of 10

DTS	XR1200 Wash Mode 1 XR1200 Wash Mode 2 XR700 Wash Mode 1 XR700 Wash Mode 2
Elektralite Fine Art	Paintspot V-2031 V-2032 V-2033
Generic	Fluorescent LED - White
Green Hippo	Hippotizer – added two part media layer to resolve grab full crash and transparency issues
JB Lighting	VaryLED A7 Zoom Compressed - 16 bit movement - RGB16 VaryLED A7 Zoom Compressed - 16 bit movement - RGB8 VaryLED A7 Zoom Compressed - 8 bit movement - RGB16 VaryLED A7 Zoom Compressed - 8 bit movement - RGB8 VaryLED A7 Zoom Standard - 16 bit movement - RGB16 JB Lighting/VaryLED A7 Zoom Standard - 16 bit movement - RGB8 JB Lighting/VaryLED A7 Zoom Standard - 8 bit movement - RGB16 JB Lighting/VaryLED A7 Zoom Standard - 8 bit movement - RGB8
Microh	LED Bar 2
NAT	TM 4000 16 bit TM 4000 8 bit
Novalight	High Ground Fixed Yoke High Ground Moving Yoke Nova Flower Moving Yoke
PR Lighting	XL 575 Extended 16 XL 575 Short 8 XL 575 Standard 16 XL 700 Extended 16 XL 700 Short 8 XL 700 Standard 16 XL Framing 1200 Extended 16 XL Framing 1200 Short 8 XL Framing 1200 Standard 16 XL Wash 1200 Extended 16 XL Wash 1200 Short 8 XL Wash 1200 Standard 16 XL Wash 700 Extended 16 XL Wash 700 Short 8 XL Wash 700 Standard 16

All repaired fixtures can be found in the “New” library of the Jands Vista application.

Jands Vista Software Patch Release 1.13.5161 Release Notes
March 12, 2009

Jands Pty Ltd, 40 Kent Rd, Mascot, NSW, 2020, Australia
Phone: +61 (2) 9582 0909 Fax: +61 (2) 9582 0999 Web: www.jandsvista.com

Page 5 of 10

Known Issues

The issues listed here are known issues with Vista. These issues may or may not be resolved in a future release of Vista software.

Additional reports on these or any other issues are welcome, or for more information please contact Jands.

Each issue is broken down as follows:

- An ID that Jands uses to track the issue followed by a summary
- The Description field provides more details about the issue
- The Workaround field may give you additional information about how you can work around that particular issue. If it says "None" there is no currently suggested workaround for that particular problem.

1736 Non-administrator accounts can't save user preferences on Vista App for Windows

Description When running Vista on a Windows XP machine where you are not logged in as the administrator it will not let you change any user preferences settings – an error dialog appears saying "Cannot save user preferences".

Workaround None available. Note that non-administrators cannot install Vista App for Windows.

1973 Inability to fade from raw->generic values

Description It is not possible to transition from a raw setting to a generic setting - the generic fixture model only operates in one direction. This manifests when (for example) you first use the generic controls to setup a base colour, then apply a raw transparent ColorFX preset over the top of that (the colour will track through) then you apply another generic colour over the ColorFX preset (the preset will not track through and the channel will return to default).

Workaround If the ColorFX preset is applied from a separate clip running at a higher priority, then it will always be the last link in the chain and the transition will work properly.

1979 Can't see Ether-Lynx from Vista PC after running DMX-Workshop

Description If you have Artistic Licence DMX-Workshop running, VistaPC doesn't see the Ether-Lynx connected either via crossover cable or through a network.

Workaround Close DMX-Workshop and restart the Vista application. If that doesn't work, it's possible that DMX-Workshop did not start/stop cleanly and so is still running a process - open task manager and kill the process and then restart the Vista application.

Jands Vista Software Patch Release 1.13.5161 Release Notes
March 12, 2009

Jands Pty Ltd, 40 Kent Rd, Mascot, NSW, 2020, Australia
Phone: +61 (2) 9582 0909 Fax: +61 (2) 9582 0999 Web: www.jandsvista.com

Page 6 of 10

Installing UD512 USB>DMX Device

This software update includes changes to the Vista UD512 USB>DMX device driver. To install the device correctly, please follow the instructions below:

1. Remove any UD512 devices from the computer
2. Install the Vista software as normal. Please ensure **all** boxes are ticked in the "Choose components" dialogue
3. Connect a UD512 to your computer. You should see:
 - The blue LED within the UD512 flash a couple of times then stay off
 - The Windows "Found new hardware" wizard appear
4. The Found New Hardware wizard will ask "Can Windows connect to Windows Update to search for software?". Select "No, not this time", and click Next
5. You will be asked "What would you like the wizard to do?". Select "Install from a list or specific location (advanced)", and click Next
6. You will be asked "Please choose your search and installation options". Select "Don't search. I will choose the driver to install", and click Next
7. You will see a list titled "Select the driver you want to install for this hardware". Select "Vista UD512" from the list, and press Next
8. The new drivers should now install. Once Windows is finished installing the drivers, click Finish.

Some users have found that if the UD512 was not uninstalled before commencing the upgrade process, then the installation wizard will not appear.

To resolve this issue:-

1. Open the Windows Device Manager.
2. Locate the driver under "USB Controllers.
3. Right click on "Update driver". This will start the installation wizard.
4. Follow the procedure listed above.

Accessing Files for Archiving and Export

Application

Before updating the console, Jands recommends that all users archive all show data. This process describes the procedure to be followed to access show files that are on the Vista T4, T2, and I3 console hard drives.

There are two methods to access show files and other data – Export via USB and File Transfer Protocol (FTP).

Archiving and Exporting Files via USB


Parts Required

- USB Stick of an appropriate size. This will be determined by the amount of data to be archived or exported.

Procedure

1. Start the console in the normal manner.
2. Once the console has completed the boot up sequence, insert a USB disk. The slot in the armrest is recommended because of ease of access.
3. On the console, open the "Vista" Menu.
4. Select "Export".
5. Select "USB" (as illustrated in Figure 1).

Figure 1 - Vista Menu to Export Files



Vista will default to the "Data" directory.

If exporting the consoles diagnostics files, open the folder entitled "diagnostic files". Show files that are being archived are found in the "data" directory.


Vista will ask the user to select the files to be exported (See Figure 2)

Jands Vista Software Patch Release 1.13.5161 Release Notes
March 12, 2009

Jands Pty Ltd, 40 Kent Rd, Mascot, NSW, 2020, Australia
Phone: +61 (2) 9582 0909 Fax: +61 (2) 9582 0999 Web: www.jandsvista.com


Page 8 of 10

Figure 2 - Selecting Files to be Exported



6. Once the files have been selected, Vista requires the user to select a destination directory. Vista will default to the USB drive if a USB device has been installed correctly.

Figure 3 - Selecting Destination Directory



7. Press "OK" and once the files have been transferred, remove the USB drive.

Files are now ready for archiving or sending to another party.

Archiving and Exporting Files via FTP Client

Jands recommends using a graphical FTP client such as FileZilla (<http://filezilla.sourceforge.net/>) to simplify the process.

Note – This is a suggestion based on an internet search. Our suggestion should not be taken as endorsement of any one of these programs.

The console must be connected to a network. Its IP address can be viewed and set through the Vista User Preferences dialog. Connection details:


- FTP server address: The IP address of your console.
- FTP username: vista-user
- FTP password: user

Jands Vista Software Patch Release 1.13.5161 Release Notes
March 12, 2009

Jands Pty Ltd, 40 Kent Rd, Mascot, NSW, 2020, Australia
Phone: +61 (2) 9582 0909 Fax: +61 (2) 9582 0999 Web: www.jandsvista.com

Page 9 of 10

Figure 4 - FTP Client Menu



Vista will default to the "Data" menu on the console. Subfolders are also displayed and files can now be transferred to and from the Vista.

To transfer show files from the console to a PC, click on the desired show file on the remote site (the console) and drag them across to the local site (PC), placing them in the desired directory.